Author index

Adam, N.R. *see* Wall, G.W.
Alexander, I.J. *see* Genney, D.R.
Alquini, Y. *see* De Oliveire, C.M.R.
Andres, M.F., Melillo, M.T., Delibes, A., Romero, M.D. & Bleve-Zacheo, T. Changes in wheat root enzymes correlated with resistance to cereal cyst nematodes, 343
Arakaki, T. *see* Kume, A.
Armbruster, W.S. Evolution of floral form: electrostatic forces, pollination, and adaptive compromise, 181
Ashmore, M.R. *see* Drogoudi, P.D.

Baker, A.J.M. *see* Broadley, M.R.
Balfourier, F. *see* Bony, S.
Batty, A.L., Dixon, K.W., Brundrett, M. & Sivasithamparam, K. Constraints to symbiotic germination of terrestrial orchid seed in a mediterranean bushland, 511
Bauer, G.A., Berntson, G.M. & Bazzaz, F.A. Regenerating temperate forests under elevated CO_2 and nitrogen deposition: comparing biochemical and stomatal limitation of photosynthesis, 249
Bausenwein, U., Millard, P. & Raven, J.A. Remobilized old-leaf nitrogen predominates for spring growth in two temperate grasses, 283
Baxter, J.W. & Dighton, J. Ectomycorrhizal diversity alters growth and nutrient acquisition of gray birch (*Betula populifolia*) seedlings in host–symbiont culture conditions, 139
Bazzaz, F.A. *see* Bauer, G.A.
Bechar, A. *see* Vaknin, Y.
Beckett, R.P. *see* Minibayeva, F.
Bellmann, A. *see* Garnier, E.
Berntson, G.M. *see* Bauer, G.A.
Berthelier, P. *see* Garnier, E.
Bianciotto, V. *see* Lanfranco, L.
Bleve-Zacheo, T. *see* Andres, M.F.
Bonfante, P. *see* Lanfranco, L.
Bony, S., Pichon, N., Ravel, C., Durix, A., Balfourier, F. & Guillaumin, J-J. The relationship between mycotoxin synthesis and isolate morphology in fungal endophytes of *Lolium perenne*, 125
Brewer, C.A. *see* Schreuder, M.D.J.
Broadley, M., Escobar-Gutiérrez, A.J., Burns, A. & Burns, I.G. Nitrogen-limited growth of lettuce is associated with lower stomatal conductance, 97
Broadley, M.R., Willey, N.J., Wilkins, J.C., Baker, A.J.M., Mead, A. & White, P.J. Phylogenetic variation in heavy metal accumulation in angiosperms, 9
Brooks, T.J. *see* Wall, G.W.
Brundrett, M. *see* Batty, A.L.
Bueno, P., Soto, M.J., Rodriguez-Rosales, M.P., Sanjuan, J., Olivares, J. & Donaire, J.P. Time-course of lipoxygenase, antioxidant enzyme activities and H_2O_2 accumulation during the early stages of *Rhizobium*–legume symbiosis, 91
Burke, R.M. *see* Chen, D.M.
Burns, A. *see* Broadley, M.
Burns, I.G. *see* Broadley, M.

Caiola, M.G. *see* Canini, A.
Cairney, J.W.G. *see* Chen, D.M.
Caldwell, M.M. *see* Searles, P.S.
Canini, A., Leonardi, D. & Caiola, M.G. Superoxide dismutase activity in the cyanobacterium *Microcystis aeruginosa* after surface bloom formation, 107
Castagna, A., Nali, C., Ciompi, S., Lorenzini, G., Soldatini, G.F. & Ranieri, A. Ozone exposure affects photosynthesis of pumpkin (*Cucurbita pepo*) plants, 223
Chaneton, E.J. *see* Insausti, P.
Chen, D.M., Taylor, A.F.S., Burke, R.M. & Cairney, J.W.G. Identification of genes for lignin peroxidases and maganese peroxidases in ectomycorrhizal fungi, 151
Ciompi, S. *see* Castagna, A.
Clapp, J.P. *see* Rodriguez, A.
Cousins, A. *see* Wall, G.W.
Cramer, M.D. & Titus, C.H.A. Elevated root zone dissolved inorganic carbon can ameliorate aluminium toxicity in tomato seedlings, 29

Day, T.A. Multiple trophic levels of UV-B assessments – completing the ecosystem, 183
De Oliveire, C.M.R., Iacomini, M., Alquini, Y. & Gorin, P.A.J. Microscopic and NMR analysis of the external coat from seeds of *Magonia pubescens*, 501
Debain, S. *see* Garnier, E.
Delibes, A. *see* Andres, M.F.
Dighton, J. *see* Baxter, J.W.
Dixon, J.M. & Todd, H. *Koeleria macrantha*: performance and distribution in relation to soil and plant calcium and magnesium, 59
Dixon, K.W. *see* Batty, A.L.
Dodd, J.C. *see* Rodriguez, A.
Donaire, J.P. *see* Bueno, P.
Dougall, T. *see* Rodriguez, A.
Drake, D.B. Global change and stomatal research – the 21st century agenda, 371
Drogoudi, P.D. & Ashmore, M.R. C-allocation of flowering and deblossomed strawberry in response to elevated ozone, 455
Ducout, B. *see* Garnier, E.
Durix, A. *see* Bony, S.

Eisikowitch, D. *see* Vaknin, Y.
Ellis, C.J. & Tallis, J.H. Climatic control of peat erosion in a North Wales blanket mire, 313

Emons, A.M.C. *see* Ketelaar, T.
Ennos, R.A. *see* McHaffie, H.S.
Escobar-Gutiérrez, A.J. *see* Broadley, M.

Figueroa, J.A. & Lusk, C.H. Germination requirements and seedling shade tolerance are not correlated in a Chilean temperate rain forest, 483
Finlay, R.D. *see* Fransson, P.M.A.
Fiore-Donno, A-M. & Martin, F. Populations of ectomycorrhizal *Laccaria amethystina* and *Xerocomus* spp. show contrasting colonization patterns in a mixed forest, 533
Flint, S.D. *see* Searles, P.S.
Flowers, T.H. *see* Willby, N.J.
Fransson, P.M.A., Taylor, A.F.S. & Finlay, R.D. Elevated atmospheric CO_2 alters root symbiont community structure in forest trees, 431
Fukushi, Y. *see* Yamaji, K.

Gan-mor, S. *see* Vaknin, Y.
Garnier, E., Laurent, G., Bellmann, A., Debain, S., Berthelier, P., Ducout, B., Roumet, C. & Navas, M.-L. Consistency of species ranking based on functional leaf traits, 69
Genney, D.R., Hartley, S.H. & Alexander, I.J. Arbuscular mycorrhizal colonization increases with host density in a heathland community, 355
Georgiou, O. *see* Petropoulou, Y.
Gorin, P.A.J. *see* De Oliveire, C.M.R.
Grimoldi, A.A. *see* Insausti, P.
Guillaumin, J-J. *see* Bony, S.

Hartley, S.H. *see* Genney, D.R.
Hashidoko, Y. *see* Yamaji, K.
Hayden, K.P. *see* Pigliucci, M.
van Hove, L.W.A. *see* Schreuder, M.D.J.

Iacomini, M. *see* De Oliveire, C.M.R.
Insausti, P., Grimoldi, A.A., Chaneton, E.J. & Vasellati, M.V. Flooding induces a suite of adaptive plastic responses in the grass *Paspalum dilatatum*, 291
Islam, N. *see* Ritchie, R.J.

Johnson, D., Leake, J.R. & Read, D.J. Novel in-growth core system enables functional studies of grassland mycorrhizal mycelial networks, 555

Kerstiens, G. & Possell, M. Is competence for isoprene emission related to the mode of phloem loading?, 368
Ketelaar, T. & Emons, A.M.C. The cytoskeleton in plant cell growth: lessons from root hairs, 409
Kimball, B. *see* Wall, G.W.
Kitajima, K. *see* Terwilliger, V.J.
Kropp, B.R. *see* Searles, P.S.
Kume, A., Arakaki, T., Tsuboi, N., Suzuki, M., Kuramoto, D., Nakane, K. & Sakugawa, H. Harmful effects of radicals generated in polluted dew on the needles of Japanese red pine (*Pinus densiflora*), 53
Kuramoto, D. *see* Kume, A.

Lamers, L.P.M. *see* Smolders, A.J.P.
Lamorte, P.J. *see* Wall, G.W.
Lanfranco, L., Bianciotto, V., Lumini, E., Souza, M., Morton, J.B. & Bonfante, P. A combined morphological and molecular approach to characterize isolates of arbuscular mycorrhizal fungi in *Gigaspora* (Glomales), 169
Larkum, A.W.D. *see* Ritchie, R.J.
Laurent, G. *see* Garnier, E.
Le Roux-Swarthout, D.J. *see* Terwilliger, V.J.
Leake, J.R. Is diversity of ectomycorrhizal fungi important for ecosystem function?, 1
Leake, J.R. *see* Johnson, D.
Leavitt, M.J. *see* Wall, G.W.
Legg, C.J. *see* McHaffie, H.S.
Leonardi, D. *see* Canini, A.
Lindblad, P. *see* Paulsrud, P.
Long, S.P. *see* McKee, I.F.
Lorenzini, G. *see* Castagna, A.
Lumini, E. *see* Lanfranco, L.
Luo, Y. Transient ecosystem responses to free-air CO_2 enrichment (FACE): experimental evidence and methods of analysis, 3
Lusk, C.H. *see* Figueroa, J.A.

Manetas, Y. *see* Petropoulou, Y.
Martin, F. *see* Fiore-Donno, A-M.
Matthias, S.W. *see* Wall, G.W.
McHaffie, H.S., Legg, C.J. & Ennos, R.A. A single gene with pleiotropic effects accounts for the Scottish endemic taxon *Athyrium distentifolium* var. *flexile*, 491
McKee, I.F. & Long, S.P. Plant growth regulators control ozone damage to wheat yield, 41
Mead, A. *see* Broadley, M.R.
Melillo, M.T. *see* Andres, M.F.
Millard, P. *see* Bausenwein, U.
Minibayeva, F. & Beckett, R.P. High rates of extracellular superoxide production in bryophytes and lichens, and an oxidative burst in response to rehydration following desiccation, 333
Morris, P. Interactive plant anatomy, 187
Morton, J.B. *see* Lanfranco, L.
Mulkey, S. *see* Terwilliger, V.J.

Nakane, K. *see* Kume, A.
Nali, C. *see* Castagna, A.
Navas, M.-L. *see* Garnier, E.

Olivares, J. *see* Bueno, P.
Ottman, J. *see* Wall, G.W.

Paterson, N.W. *see* Weyers, J.D.B
Paulsrud, P., Rikkinen, J. & Lindblad, P. Field investigations on cyanobacterial specificity in *Peltigera aphthosa*, 117
Petropoulou, Y., Georgiou, O., Psaras, G.K. & Manetas, Y. Improved flower advertisement, pollinator rewards and seed yield by enhanced UV-B radiation in the Mediterranean annual *Malcolmia maritima*, 85
Pichon, N. *see* Bony, S.
Pigliucci, M. & Hayden, K.P. Phenotypic plasticity is the major determinant of changes in phenotypic integration in *Arabidopsis*, 419
Pijnappel, H.W. *see* Smolders, A.J.P.
Pinter Jr, B.A. *see* Wall, G.W.
Possell, M. *see* Kerstiens, G.
Psaras, G.K. *see* Petropoulou, Y.
Pulford, I.D. *see* Willby, N.J.

Ranieri, A. *see* Castagna, A.
Ravel, C. *see* Bony, S.
Raven, J.A. *see* Bausenwein, U.
Read, D.J. *see* Johnson, D.
Rikkinen, J. *see* Paulsrud, P.
Ritchie, R.J. & Islam, N. Permeability of methylamine across the membrane of a cyanobacterial cell, 203
Ritchie, R.J., Trautman, D.A. & Larkum, A.W.D. Phosphate limited cultures of the cyanobacterium *Synechococcus* are capable of very rapid, opportunistic uptake of phosphate, 189
Rodriguez, A., Dougall, T., Dodd, J.C. & Clapp, J.P. The large subunit ribosomal RNA genes of *Entrophospora infrequens* comprise sequences related to two different glomalean families, 159
Rodriguez-Rosales, M.P. *see* Bueno, P.
Roelofs, J.G.M. *see* Smolders, A.J.P.
Romero, M.D. *see* Andres, M.F.
Ronen, B. *see* Vaknin, Y.
Roumet, C. *see* Garnier, E.

Sakugawa, H. *see* Kume, A.
Sanjuan, J. *see* Bueno, P.
Schreuder, M.D.J., van Hove, L.W.A. & Brewer, C.A. Ozone exposure affects leaf wettability and tree water balance, 443
Searles, P.S., Kropp, B.R., Flint, S.D. & Caldwell, M.M. Influence of solar UV-B radiation on peatland microbial communities of southern Argentina, 213
Sen, R. Multitrophic interactions between a *Rhizoctonia* sp. and mycorrhizal fungi affect Scots pine seedling performance in nursery soil, 543
Shaw, J.A. Antagonistic pleiotropy and the evolution of alternate generations, 365
Sivasithamparam, K. *see* Batty, A.L.
Smolders, A.J.P., Tomassen, H.B.M., Pijnappel, H.W., Lamers, L.P.M. & Roelofs, J.G.M. Substrate-derived CO_2 is important in the development of *Sphagnum* spp., 325
Soldatini, G.F. *see* Castagna, A.
Soto, M.J. *see* Bueno, P.
Souza, M. *see* Lanfranco, L.
Suzuki, A. Resource allocation to vegetative growth and reproduction at shoot level in *Eurya japonica* (Theaceae): a hierarchical investment?, 307
Suzuki, M. *see* Kume, A.

Tahara, S. *see* Yamaji, K.
Tallis, J.H. *see* Ellis, C.J.
Taylor, A.F.S. *see* Chen, D.M.
Taylor, A.F.S. *see* Fransson, P.M.A.
Terwilliger, V.J., Kitajima, K., Le Roux-Swarthout, D.J., Mulkey, S. & Wright, S.J. Intrinsic water-use efficiency and heterotrophic investment in tropical leaf growth of two Neotropical pioneer tree species as estimated from $\delta^{13}C$ values, 267
Titus, C.H.A. *see* Cramer, M.D.
Todd, H. *see* Dixon, J.M.
Tomassen, H.B.M. *see* Smolders, A.J.P.
Trautman, D.A. *see* Ritchie, R.J.
Triggs, R.L. *see* Wall, G.W.
Tsuboi, N. *see* Kume, A.

Vaknin, Y., Gan-mor, S., Bechar, A., Ronen, B. & Eisikowitch, D. Are flowers morphologically adapted to take advantage of electrostatic forces in pollination?, 301
Vasellati, M.V. *see* Insausti, P.

Wall, G.W., Brooks, T.J., Adam, N.R., Cousins, A., Kimball, B., Pinter, Jr, B.A., Lamorte, P.J., Triggs, R.L., Ottman, J., Leavitt, M.J., Matthias, S.W., Williams, A.D. & Webber, D.G. Elevated atmospheric CO_2 improved *Sorghum* plant water status by ameliorating the adverse effects of drought, 231
Webber, D.G. *see* Wall, G.W.
Weyers, J.D.B & Paterson, N.W. Plant hormones and the control of physiological processes, 375
White, P.J. *see* Broadley, M.R.
Wilkins, J.C. *see* Broadley, M.R.
Willby, N.J., Pulford, I.D. & Flowers, T.H. Tissue nutrient signatures predict herbaceous-wetland community responses to nutrient availability, 463
Willey, N.J. *see* Broadley, M.R.
Williams, A.D. *see* Wall, G.W.
Wright, S.J. *see* Terwilliger, V.J.

Yamaji, K., Fukushi, Y., Hashidoko, Y., Yoshida, T. & Tahara, S. *Penicillium* fungi from *Picea glehnii* seeds protect the seedlings from damping-off, 521
Yoshida, T. *see* Yamaji, K.

Keyword index

ABA, 371
actin, 409
adaptive compromise, 181
aerenchyma, 291
Agrostis capillaris, 283
air pollution, 53
Al toxicity, 29
allocation, 39
AM mycorrhizal colonization, 555
ammonia transport, 203
ammonia-N, 189
amoebae, 183
antifungal compounds, 521
Arabidopsis, 419
arbuscular mycorrhiza, 355
Argentina, 213
Artificial flowers, 301
ascorbate peroxidase (APX), 91
Assulina muscorum, 213
Athyrium distentifolium var. *distentifolium*, 365
Athyrium distentifolium var. *flexile*, 365
Athyrium distentifolium var. *flexile*, 491
Aureobasidium, 213

b-carotene, 223
Betula populifolia (grey birch), 139
biodiversity, 1
biodiversity, 365
biological control, 543
biological diversity, 1
blanket mire, 313
branch order, 307
bryophytes, 333

Caladenia arenicola, 511
calcium, 59, 409
Calluna vulgaris (heather), 355
carbon allocation, 455
carbon dioxide, 231
carbon isotopes, 267
carbon, 431
Carboniferous, 59
catalase (CAT), 91
Cd, 9
Cecropia longipes, 267
cell expansion, 409
cephalodia, 117
chlorophyll fluorescence, 223
chlorophyll, 223
citrinin, 521
climate change, 313
CO_2 fixation, 325
community structure, 431
conservation, 365, 511
CP-MAS NMR, 501
Cr, 9
^{14}C-translocation, 455
Cu, 9
Cucurbita pepo (pumpkin), 223
cyanobacteria, 117
Cyanobacteria, 189, 203
cytoskeleton, 409

decomposition, 325
desiccation, 333
dew, 53
dissolved inorganic carbon (DIC), 29
distribution, 59
dose–response curve, 375

ecosystem function, 1
ectomycorrhiza, 533
Ectomycorrhizal fungi, 1, 151, 431
ectomycorrhizas, 139
electrodeposition, 301
electrostatic forces, 181
electrostatic pollination, 301
elevated CO, 371
elevated CO_2, 249, 325, 431
endemic, 491
Entrophospora infrequens, 159
enzymes, 343
ergovaline, 125
erosion, 313
ethene, 39
eubacteria, 203
Eurya japonica, 307
exocytosis, 409
external coat, 501
extinction, 1

feedbacks, 183
fern, 365
Festuca rubra, 283
flooding tolerance, 291
floral form, 181
floral morphology, 301
flowering, 455
foliar injury, 443
foliar water loss, 443
Forest dynamics, 483
Fragaria ananasa (strawberry), 455
free-air CO_2 enrichment (FACE), 231
functional ecology, 463
functional leaf traits, 69
fungal endophytes, 125
fungal interactions, 543
fungi, 213

gametophyte, 365
genetic conservation, 491
genets, 533
germination, 483
gibberellin, 39
Gigaspora, 169
global change, 231, 325, 371
Glomales, 169
glutathione reductase (GR), 91
growth strategies, 463
growth, 443

heathland, 355
heavy metals, 9
Heterodera avenae, 343
hierarchical investment, 307
hybrid, 159
hybridization, 419
hydrogen peroxide (H_2O_2), 91
hyperaccumulation, 9
hyphal exclusion, 555

identification, 169
immunogold labelling, 107
independent contrasts, 483
insects, 183
internal cycling, 283
intraspecific fungal variability, 125

Koeleria macrantha, 59

Laccaria amethystina, 533
Lactuca sativa (lettuce), 97
LAI-2000, 483
leaf area, 183
leaf development, 267
leaf dry matter content, 69
leaf growth, 291
leaf nitrogen concentration, 69
leaf wettability, 443

lichen, 117
lichens, 333
lignin peroxidase, 151
ligninolytic genes, 151
lipid hydroperoxides, 91
lipoxygenase (LOX), 91
litter, 183
lolitrem B, 125
Lolium perenne (perennial ryegrass), 125
Lycopersicon esculentum (tomato), 29

Magnesian and dolomitic limestone, 59
magnesium, 59
Magonia pubescens (Tingüi), 501
Malcolmia maritima, 85
manganese peroxidase, 151
Mediterranean old fields, 69
Microcystis aeruginosa, 107
microscopic analysis, 501
microtubule, 409
morphology, 365
mycelia, 1
mycelial networks, 555
mycorrhiza, 511
mycorrhizal colonization, 139
mycorrhizal diversity, 139
mycorrhizal roots, 169

Nardus stricta, 355
nectar amount, 85
Neotyphodium, 125
net assimilation rate, 231
Ni, 9
nitrate, 97
nitrate-N, 189
nitrogen deficiency, 97
nitrogen partitioning, 249
nitrogen remobilization, 283
nitrogen translocation, 283
nitrogen, 139
nitrogen, 29
NO radical, 53
Nostoc, 117
nutrient availability, 419
nutrients, 463

OH radical, 53
open top chambers, 249
orchid distribution, 511
ordination analysis, 431
oxidative burst, 333
oxidative stress, 223
ozone (O_3), 443
ozone depletion, 183
ozone pollution, 39
ozone, 223
ozone, 455

^{33}P, 555
Pampa grasslands, 291
Paspalum dilatatum, 291
past climate, 371
Pb, 9
peat humification, 313
peatland, 213
peatlands, 325
Peltigera aphthosa, 117
Penicillium damascenum, 521
peramine, 125
perennial grass, 283
performance, 59
peroxidase, 343
pH dependence, 203
phenolics, 183
phenotypic integration, 419
phenotypic plasticity, 419
phosphate uptake kinetics, 189
phosphorus uptake, 555
phosphorus, 139
photooxidation, 107
photosynthesis, 39, 53, 97, 107, 223, 249, 291
phylogenetically, 483
phytohormone, 375
Picea glehnii, 521
Pinus densiflora (Japanese Red pine), 53
pioneer and climax species, 483
plant functional classification, 69
plant growth, 139, 543
plant hormone, 375
plant traits, 463
pleiotropic, 491
P-limited cells, 189
pollination success, 85
pollination, 181
polymorphic populations, 491
population structure, 533
Populus euramericana, 443
Populus nigra, 443
primers, 169
Pseudotsuga menziesii, 443
P-unlimited cells, 189
Pythium vexans, 521
Racomitrium lanuginosum, 313

RAPD, 533
rare plants, 511
rDNA, 533
relative control, 375
relative growth rate (RGR), 29, 97
reproduction, 307
resistance gene, 343
resource allocation, 307
respiration, 29
ribosomal sequences, 169
root hair, 409
rRNA Large subunit, 159

saprotrophism, 151
Scotland, 491
Scots pine (*Pinus sylvestris*), 543
seasonal growth, 283
second messenger, 375
seed yield, 85
seed-epiphytic fungi, 521
seeds, 501
selective pressure, 181
sensitivity, 375
sewage, 189
shade tolerance, 483
shoot growth, 307
signalling, 371
simple diffusion, 203
Sinorhizobium–legume interaction, 91
south-western Australia, 511
spatio-temporal variability, 69
specific leaf area, 69
Sphagnum magellanicum, 213
Sphagnum, 325
sporophyte, 365
spring growth, 283
stigma exsertion, 301
stomata, 53, 371
stomatal conductance, 97, 231
stomatal index, 97
structure-function relationships, 69
style length, 181
Suillus bovinus, 543
superoxide dismutase (SOD), 91, 107
superoxide, 333
symbiotic seed germination, 511
syncytium, 343
Synechocystis, 203

taxonomy, 159
Tierra del Fuego, 213
temperate forests, 249
temperate rain forest, 483
terrestrial orchid, 511
testate amoebae, 213
tiller architecture, 291

transport models, 203
Trifolium repens (white clover), 555
Triticum aestivum, 39
trophic level, 183

ultraviolet-B radiation (UV-B), 213
unculturable, 159
uninucleate *Rhizoctonia*, 543
Urera caracasana, 267
UV-B radiation, 85, 183

water relations, 231, 291
water stress, 371
wetlands, 463
wheat (*Triticum aestivum*), 343
woodland clearance, 313

xanthophyll cycle, 223
Xerocomus chrysenteron, 533
Xerocomus pruinatus, 533

yield, 39

Zn, 9